AUTHOR INDEX TO VOLUME 3

A

Albanese, A.A., 165
Aquino, H., 143
Arscott, G.H., 111
Aruna, N.G., 189
Atkinson, R.L., 295,363

B

Baker, H., 143
Baldessari, B., 149
Barak, A.J., 243
Berdanier, C.D., 383
Blum, J.C., 273
Bourdel, G., 79
Bradley, J.W., 295,363

C

Carlson, J.R., 311
Carlucci, F., 149
Carney, J.A., 61
Cheeke, P.R., 85,123
Cheraskin, E., 135,377
Chow, B.F., 21
Christmas, R.B., 395
Cooper, J., 263
Cornatzer, N.F., 353
Cornatzer, W.E., 353
Couch, J.R., 1,263,295,363
Culley, W.J., 369

D

Damron, B.L., 395
Daniel, V.A., 67,357
Dorniswamy, T.R., 67
Dutra de Oliveira, J.E., 291
Dyer, I.A., 311

E

Erdody, P., 129
Evans, G.W., 353

F

Fabry, P., 31
Farr, F., 263
Ferguson, T.M., 363
Fisher, H., 303
Frank, O., 143

G

Girard-Globa, A., 79
Guillaume, J., 273

H

Harms, R.H., 395
Harrill, I., 159

J

Jacquot, R., 79
Johnson, R.J., 311

K

Kazdova, L., 31
Keefer, R.C., 243
Klett, R. H., 255
Konlande, J.E., 303
Kritchevsky, D., 283
Kurien, S., 189, 357

L

Larbier, M., 273

M

Mariani, A., 149
Marshall, M.W., 383
Mehren, M.J., 255
Mickelsen, O., 247
Miller, J., 315
Murray, T.K., 129

N

Narayanaswamy, D., 189,357

O

Orto, L.A., 165

P

Parpia, H.A.B., 39,67,203,327, 357
Peret, J., 79

Q

Quisenberry, J.H., 295,363

R

Rajalakshmi, D., 67,189,357
Rider, A.A., 21
Ringsdorf, W.M. Jr., 135,377
Rio, M.E., 101

S

Salata, E.B.Z., 291
Saloma, A.E., 263
Sanahuja, J.C., 101
Schmitt, J.L., 93
Seshadri, S., 159
Sidransky, H., 389
Slabochova, Z., 31
Sorrell, M.F., 143
Stangel, D.E., 85
Stegink, L.D., 93
Swaminathan, M., 39,67,189, 203,277,327,357

T

Tepper, S.A., 283
Thomson, A.D., 143
Ticca, M., 149
Tolan, A., 1
Trammell, J.H., 1
Tuma, D.J., 243
Turner, M.R., 117

V

Venkat Rao, S., 189
Verney, E., 389
Vrana, A., 31

W

Walker, B.L., 61
Wright, K.N., 221

Y

Yang, M.G., 247

Z

Zavattaro, D. N., 165

SUBJECT INDEX TO VOLUME III

A

Adipose tissue, effect of high sucrose or starch diets on insulin sensitivity and serum insulin concentration, 31
Alloxan diabetes, effect on net protein utilization in the rat, 117
Amino acid,
content, of muscle, in chicks fed a single daily meal, 273
imbalance, in protein-depleted rats, effect of insulin and cortisol, 101
levels, in postprandial serum of infants fed casein-hydrolysate and cows milk formulas, 93
plasma, studies in the rat on raw and autoclaved soybean, 189
requirements, of the growing rabbit, 123
supplementation, of a poor pearl millet diet, effect on PER of rats, 357
Arginine,
requirements, for the growing rabbit, 117
supplementation, of low-lysine diet, effect on growth of rats, Japanese quail and swine, 85

B

Biological techniques, for evaluation of protein quality in high protein food stuffs, 221
Biotin, effect on insulin response in adult rats, 383
Body composition,
of cockerels, prediction from nitrogen loss and body weight, 303
and spontaneous activity, analysis in the meal-eating and nibbling rat, 149
Bone changes, on rats fed oral contraceptive steroids, 247
Bovine, tympanitic, and aberrant tryptophan metabolism, 311
Brains, of undernourished rats, fatty acid patterns, 369

C

Calorie requirements, revised recommendations for humans, 327
Carbohydrate metabolism, and physical activity in man, 165
β-carotene utilization, by rats of increasing age, 129
Casein hydrolysate formulas, effect on serum amino acid levels of young infants, 93
Chickens, adult, effect of reduced protein and methionine level of all vegetable diet on reproductive performance of males, 111
Chicks,
broiler, studies on a hominy feed basal for use in phosphorus assays, 395
effect of low lysine diets on growth and reproductive performance, 1
fed a single daily meal, muscle levels of free lysine and methionine 273

Cholesterol esters, ovarian, identification in EFA-deficient rats, 61
Choline deficiency, in the rat and the role of manganese in hepatic lipid transport, 243
Circadian rhythm, in hepatic tyrosine transaminase activity of rats fed dissociated protein and carbohydrate meals, 79
Cockerels, protein-depleted, prediction of body composition from nitrogen loss and body weight, 303
Copper metabolism, in the rat, effect of phenformin, 353
Cortisol injection, effect on appetite, amino acid pool and imbalance in protein-depleted rats, 101
Cow's milk formulas, effect on serum amino acid levels in young infants, 93

D

Dietary habits, of Indian college students in the United States, 159

E

Egg production, effect of dietary vegetable fats in laying hens, 263
Enzyme systems, and physical activity in man, 165

F

Factorial method, for human protein requirements, comparison with other criteria of protein nutrition, 39, 277
Fat metabolism, and physical activity in man, 165
Fatty acid,
composition, of egg yolk lipids, effect of dietary vegetable fats, 263
in brain tissues of rats, effect of undernutrition, 369
__ rat tissues, effect of methionine supplementation, 315
Feed utilization, in rats rationed to their ad libitum intake, 21
Flour, manioc, effect of methionine supplementation on PER of rats, 291

G

Growth, effect of low lyine diets in chicks, 1

H

Hens, laying, effect of dietary vegetable fats on egg production and fatty acid composition of egg yolk lipids, 263
Hominy feed diets, availability of phosphorus for chicks, 395
Hormones, effect on amino acid imbalance in protein-depleted rats, 101
Hypokinetic and hyperkinetic states, nutritional and biochemical effects in man, 165

I

Insulin,
injection, effect on appetite, amino acid pool and imbalance in protein-depleted rats, 101
response, effect of biotin in adult rat, 383
serum concentration and sensitivity, effect in rats fed sucrose or starch diets, 31

J

Japanese quail, effect of arginine supplementation of lysine-low diet on growth, 85

L

Legumes, as supplements to protein deficient diets of humans in developing countries, 203
Lipids,
serum and liver, influence of isocaloric, isogravic diets in rats, 283
transport, hepatic, role of manganese in choline-deficient rats, 243
Lysine,
content in muscle of chicks fed a single daily meal, 273
dietary, effect of low level on growth and reproduction in chicks, 1
-low diets, effect of arginine supplementation on growth of rats, Japanese quail and swine, 85
requirements, for the growing rabbit, 123
supplementation, of poor rice and wheat diets, effect on growth of school children, 67

M

Manganese, role in hepatic liver transport in choline-deficient rats, 243
Mestranol, effect on function and composition of bone in rats, 247
Methionine,
content of muscle in chicks fed a single daily meal, 273
level, of diets of male chickens, effect on reproductive performance, 111
requirements, for the growing rabbit, 123
supplementation, effect on distribution of fatty acids in tissues of rats, 315
_____, of manioc flour to combat protein malnutrition, 291
Mineral supplementation, of poor rice and wheat diets, effect on growth of school children, 67

N

Net protein utilization, effect of alloxan diabetes in the rat, 117
Nitrogen, and sulfur interrelationships in ruminants, 255

Norethynodrel, effect on function and composition of bone in rats, 247
Nutrient intake, of college students from India in the United States, 159
Nutritional status and growth, effect of supplementing poor rice and wheat diets in school children, 67

P

Payzone nitrovin, effect on growth and feed efficiency of turkeys, 363
Phenformin, effect on copper metabolism in the rat, 353
Phenylalanine consumption, correlation with psychologic states in humans, 377
Phosphorus assays, in chicks on hominy feed basal diets, 395
Physical exercise, nutritional and biochemical effects in man, 165
Polyribosomes, hepatic, of rats of various ages, effect of fasting,389
Protein,
  deficiency, in developing countries, the role of legumes and processed protein foods as supplements to the diet, 203
  efficiency ratio, effect of methionine fortfied manioc flour in rats, 291
  foods, processed and based on oilseed meals, their role in overcoming protein deficiency in humans in developing countries, 203
  malnutrition, effect of methionine fortification of flour in rats, 291
  metabolism, in hypokinetic state in man, 165
  quality, methods of evaluation in high protein feed stuffs, 221
  requirements of infants, children, adolescents, adults, pregnant and lactating women calculated by factorial method, 39, 277
  _____, revised recommendations for humans, 327
  rich food supplementation, of poor rice and wheat diets, effect on growth of school children, 67
  value, improvement of poor millet diet by amino acid supplementation, 357
Psychologic state,
  correlation with phenylalanine consumption in humans, 377
  _____ tryptophan consumption in humans, 135
Pullets, broiler breeder, effect of low lysine diets on growth and reproduction, 1

R

Rabbits, growing, requirements for arginine, lysine and methionine, 123
Rats,
  adult, changes in body weight when rationed to their ad libitum feed intake, 21
  _____, effect of biotin supplement on insulin response, 383
  alloxan diabetic, effect on ability to utilize dietary protein, 117
  choline-deficient, role of manganese in hepatic lipid transport, 243
  immature and mature, bone changes after feeding oral contraceptive steroids, 247

Rats, (continued)
infant, effect of undernutrition on fatty acids of brain tissues, 369
meal-eaters and nibblers, analysis of modifications of body composition and activity, 149
protein-depleted, effect of insulin and cortisol on threonine limited diets, 101
of various ages, effect of fasting on hepatic polyribosomes, 389
_____, utilization of Vitamin A and β-carotene, 129
weanling, blood amino acid studies with diets containing raw and autoclaved soybean, 189
_____, EFA-deficient, identification of constituency of the trienoic fraction, 61
_____, effect of amino acid supplementation of a poor millet diet on PER, 357
_____, _____ on hepatic tyrosine transaminase activity of protein and carbohydrate feedings, 79
_____, _____ of high sucrose diet on insulin sensitivity of adipose tissue, 31
_____, _____ methionine fortified manioc flour on PER, 291
_____, _____ supplemental methionine on fatty acids of several tissues, 315
_____, influence of isocaloric, isogravic diets on serum and liver lipids, 283
young, effect of arginine supplementation of lysine-low diets on growth, 85
_____, _____ phenformin on copper metabolism, 353
Reproductive performance,
effect of low lysine diets in chicks, 1
_____ reduced level of isolated soybean protein and methionine of male chicks, 111
Rice and wheat diets, effect of supplementation with vitamins, minerals, lysine and protein-rich foods on nutritional status of school children, 67
Ruminants, nitrogen and sulfur interrelationships studied in vivo and in vitro, 255

S

Soybean protein,
and methionine levels of diets of male chickens, effect on reproductive performance, 111
raw and autoclaved, blood amino acid studies in the rat, 189
Statistical procedure, for analyses of body composition and energy expenditure in meal-eating and nibbling rats, 149
Steroids, contraceptive, effect on bone of immature and mature rats, 247
Sucrose, effect of high dietary levels on insulin sensitivity of adipose tissue in rats, 31
Sulfaquinoxaline, effect on reproductive performance of turkey hens, 295

Sulfur, and nitrogen interrelationships in ruminants, 255
Swine, effect of arginine supplementation of lysine-low diets on growth, 85

T

Threonine-limited diets, effect of hormones on appetite, amino acid pool and imbalance of protein-depleted rats, 101
Trienoic acids, fractionation and identification of ovarian cholesterol esters in EFA-deficient rats, 61
Tryptophan,
consumption, correlation with psychologic state in humans, 135
metabolism, in the tympanitic bovine, 311
Turkey,
effect of payzone nitrovin on growth and feed efficiency, 363
hens, effect of sulfaquinoxaline on reproductive performance, 295
Tyrosine transaminase activity, in livers of rats fed dissociated protein and carbohydrate meals, 79

V

Vegetable-fats, dietary, effect on egg production and fatty acid composition of egg yolk lipids in laying hens, 263
Vitamin,
A, utilization, by rats of increasing age, 129
supplementation, of poor rice and wheat diets, effect on growth of school children, 67
water-soluble and fat-soluble, absorption from the large intestine *in vivo* in patients with mid-transverse colostomies, 143